



MY ACCOUNT BLOG

0 \$ 00.00

Home > Steel Adapters > 37 Degree JIC >

2704 -37° JIC BULKHEAD RUN TEE



37° JIC Bulkhead Run Tee

2704 JIC equivalent to the following:

- * SAE 070958
- * Parker WJTX* WLN* S
- * Weatherhead C35726
- * Aeroquip 203008

Use with 306 bulkhead lock nut

Available in stainless steel: 2704-SS

(1,2,3) JIC Male Tee



Alternative Views:



PRESSURE RATINGS



DIMENSIONAL DRAWINGS



CROSS REFERENCE

37° JIC BULKHEAD RUN TEE

PRINT PAGE

ITEM#	ITEM NAME	OUR PRICE	QTY	
2704-03-03-03	2704-03-03-03 - Run Tee, 3/16" JIC (3/8"-24 thread) x 3/16" JIC (3/8"-24 thread) Bulkhead x 3/16" JIC (3/8"-24 thread)	\$12.56		
2704-04-04-04	2704-04-04-04 - Run Tee, 1/4" JIC (7/16"-20 thread) x 1/4" JIC (7/16"-20 thread) Bulkhead x 1/4" JIC (7/16"-20 thread)	\$8.79		
2704-05-05-05	2704-05-05-05 - Run Tee, 5/16" JIC (1/2"-20) x 5/16" JIC (1/2"-20) Bulkhead x 5/16" JIC (1/2"-20)	\$34.24		
2704-06-06-06	2704-06-06-06 - Run Tee, 3/8" JIC (9/16"-18 thread) x 3/8" JIC (9/16"-18 thread) Bulkhead x 3/8" JIC (9/16"-18 thread)	\$9.72		
2704-08-08-08	2704-08-08-08 - Run Tee, 1/2" JIC (3/4"-16 thread) x 1/2" JIC (3/4"-16 thread) Bulkhead x 1/2" JIC (3/4"-16 thread)	\$11.69		
2704-10-10-10	2704-10-10-10 - Run Tee, 5/8" JIC (7/8"-14 thread) x 5/8" JIC (7/8"-14 thread) Bulkhead x 5/8" JIC (7/8"-14 thread)	\$16.64		
2704-12-12-12	2704-12-12-12 - Run Tee, 3/4" JIC (1 1/16"-12 thread) x 3/4" JIC (1 1/16"-12 thread) Bulkhead x 3/4" JIC (1 1/16"-12 thread)	\$22.57		

2704-16-16-16	2704-16-16-16 - Run Tee, 1" JIC (1 5/16"-12 thread) x 1" JIC (1 5/16"-12 thread) Bulkhead x 1" JIC (1 5/16"-12 thread)	\$27.56		
2704-20-20-20	2704-20-20-20 - Run Tee, 1-1/4" JIC (1-5/8"-12 thread) x 1-1/4" JIC (1-5/8"-12 thread) Bulkhead x 1-1/4" JIC (1-5/8"-12 thread)	\$62.77		

Check the items you wish to purchase, then click

ADD TO CART

Features

Material: High pressure carbon steel with zinc trivalent anti-corrosion coating SAE 37° JIC meets SAE J514 specifications and are used for petroleum and mineral oil based fluids in hydraulic applications


Product Details

Pressure Ratings:

SAE J514 Pressure Ratings					
Nom. SAE Dash Size	Nom. Tube O.D. Inches	37 Degree Flare Straight Thread	Nom. Pipe Size	SAE St. Threads Union & Bulkhead (PSI)	Fittings With Pipe Threads (PSI)
2	1/8	5/16"-24	1/8"	5000	5000
3	3/16	3/8"-24	1/8"	5000	5000
4	1/4	7/16"-20	1/8"	5000	5000
5	5/16	1/2"-20	1/8"	5000	5000
6	3/8	9/16"-18	1/4"	5000	5000
8	1/2	3/4"-16	3/8"	4500	4000
10	5/8	7/8"-14	1/2"	3500	3000
12	3/4	1 1/16"-12	3/4"	3500	3000
14	7/8	1 3/16"-12	3/4"	3000	2500
16	1	1 5/16"-12	1"	3000	2000
20	1 1/4	1 5/8"-12	1 1/4"	2500	1150
24	1 1/2	1 7/8"-12	1 1/2"	2000	1000
32	2	2 1/2"-12	2"	1500	1000

NOTE: Since many factors influence the pressure at which a system will or will not perform satisfactory, values shown in this table should not be construed as guaranteed minimum.

Dimensional Drawings:



Product ID	Y HEX	T1	M1	D1	T2	M2	D2	T3	M3	D3
SS-2704-03-03-03	0.438	3/8-24	0.94	0.125	3/8-24	1.5	0.125	3/8-24	0.94	0.12
SS-2704-04-04-04	0.438	7/16-20	0.97	0.172	7/16-20	1.59	0.172	7/16-20	0.97	0.17
SS-2704-04-06-04	0.563	7/16-20	1.08	0.172	9/16-18	1.81	0.297	7/16-20	1.08	0.17
SS-2704-06-06-06	0.563	9/16-18	1.09	0.297	9/16-18	1.81	0.297	9/16-18	1.09	0.29
SS-2704-08-08-08	0.75	3/4-16	1.36	0.391	3/4-16	2.11	0.391	3/4-16	1.36	0.39
SS-2704-08-10-08	0.875	3/4-16	1.44	0.391	7/8-14	2.39	0.484	3/4-16	1.44	0.39
SS-2704-10-08-08	0.875	7/8-14	1.56	0.484	3/4-16	2.27	0.391	3/4-16	1.44	0.39
SS-2704-10-10-10	0.875	7/8-14	1.56	0.484	7/8-14	2.39	0.484	7/8-14	1.56	0.48
SS-2704-12-12-12	1.063	1-1/16-12	1.78	0.609	1-1/16-12	2.67	0.609	1-1/16-12	1.78	0.60
SS-2704-16-16-16	1.313	1-5/16-12	1.94	0.844	1-5/16-12	2.8	0.844	1-5/16-12	1.94	0.84
SS-2704-20-20-20	1.625	1-5/8-12	2.17	1.078	1-5/8-12	3.12	1.078	1-5/8-12	2.17	1.07

Competitor Cross Reference:

INTERCHANGEABLE WITH:					
ITEM #	AEROQUIP	PARKER	SSP	SAE	MS
2704-02-02-02	259-203008-2-2	2 WJTX-SS	J2BRT	70958	MS51516
2704-03-03-03	259-203008-3-3	3 WJTX-SS	J3BRT	70958	MS51516
2704-04-04-04	259-203008-4-4	4 WJTX-SS	J4BRT	70958	MS51516
2704-05-05-05	259-203008-5-5	5 WJTX-SS	J5BRT	70958	MS51516
2704-06-06-06	259-203008-6-6	6 WJTX-SS	J6BRT	70958	MS51516
2704-08-08-08	259-203008-8-8	8 WJTX-SS	J8BRT	70958	MS51516
2704-10-10-10	259-203008-10-10	10 WJTX-SS	J10BRT	70958	MS51516
2704-12-12-12	259-203008-12-12	12 WJTX-SS	J12BRT	70958	MS51516

2704-14-14-14	259-203008-14-14	14 WJJTX-SS	J14BRT	70958	MS51516
2704-16-16-16	259-203008-16-16	16 WJJTX-SS	J16BRT	70958	MS51516
2704-20-20-20	259-203008-20-20	20 WJJTX-SS	J20BRT	70958	MS51516
2704-24-24-24	259-203008-24-24	24 WJJTX-SS	J24BRT	70958	MS51516
2704-32-32-32	259-203008-32-32	32 WJJTX-SS	J32BRT	70958	MS51516

Share your knowledge of this product. Be the first to write a review »

ABOUT US

- [Company Info](#)
- [Contact Us](#)
- [Careers](#)
- [Reference Center](#)

MY ACCOUNT

- [View Cart](#)
- [Sign-In](#)
- [Order Status](#)

PRODUCTS

- [Product Index](#)
- [Category Index](#)

HELPFUL INFO


- [Shipping & Returns](#)
- [Privacy Policy](#)
- [Terms & Conditions](#)
- [Warranty](#)

QUESTIONS? CALL OR TEXT US!

Tel: (866) 620-7320
Email: sales@hydraulicsdirect.com

Copyright 52565 Hydraulics Direct

FOLLOW US



TRUSTED SELLER

