

[MY ACCOUNT](#) [BLOG](#)[0 \\$ 00.00](#)[Home](#) > [Steel Adapters](#) > [37 Degree JIC](#) >

2650 -37° JIC MALE CROSS



(1,2,3,4) JIC Male



Alternative Views:



37° JIC Male Cross

2650 JIC equivalent to the following:

- * SAE 070501
- * Parker KTX
- * Parker 033X
- * Weatherhead C5955
- * Aeroquip 2020

Available in stainless steel: SS-2650

PRESSURE
RATINGSDIMENSIONAL
DRAWINGSCROSS
REFERENCE

37° JIC MALE CROSS

[PRINT PAGE](#)

ITEM#	ITEM NAME	OUR PRICE	QTY	
2650-04-04-04-04	2650-04-04-04-04 - Union Cross, 1/4" JIC (7/16"-20 thread) x 1/4" JIC (7/16"-20 thread) x 1/4" JIC (7/16"-20 thread) x 1/4" JIC (7/16"-20 thread)	\$6.26		
2650-05-05-05-05	2650-05-05-05-05 - Union Cross, 5/16" JIC (1/2"-20) x 5/16" JIC (1/2"-20) x 5/16" JIC (1/2"-20) x 5/16" JIC (1/2"-20)	\$7.30		
2650-06-06-06-06	2650-06-06-06-06 - Union Cross, 3/8" JIC (9/16"-18 thread) x 3/8" JIC (9/16"-18 thread) x 3/8" JIC (9/16"-18 thread) x 3/8" JIC (9/16"-18 thread)	\$6.06		
2650-08-08-08-08	2650-08-08-08-08 - Union Cross, 1/2" JIC (3/4"-16 thread) x 1/2" JIC (3/4"-16 thread) x 1/2" JIC (3/4"-16 thread) x 1/2" JIC (3/4"-16 thread)	\$7.81		
2650-10-10-10-10	2650-10-10-10-10 - Union Cross, 5/8" JIC (7/8"-14 thread) x 5/8" JIC (7/8"-14 thread) x 5/8" JIC (7/8"-14 thread) x 5/8" JIC (7/8"-14 thread)	\$10.61		

10	(7/8"-14 thread) x 5/8" JIC (7/8"-14 thread) x 5/8" JIC (7/8"-14 thread)			
2650-12-12-12-12	2650-12-12-12-12 - Union Cross, 3/4" JIC (1 1/16"-12 thread) x 3/4" JIC (1 1/16"-12 thread) x 3/4" JIC (1 1/16"-12 thread) x 3/4" JIC (1 1/16"-12 thread)	\$13.95		
2650-14-14-14-14	2650-14-14-14-14 - Union Cross, 7/8" JIC (1 3/16"-12 thread) x 7/8" JIC (1 3/16"-12 thread) x 7/8" JIC (1 3/16"-12 thread) x 7/8" JIC (1 3/16"-12 thread)	\$22.48		
2650-16-16-16-16	2650-16-16-16-16 - Union Cross, 1" JIC (1 5/16"-12 thread) x 1" JIC (1 5/16"-12 thread) x 1" JIC (1 5/16"-12 thread) x 1" JIC (1 5/16"-12 thread)	\$23.29		
2650-20-20-20-20	2650-20-20-20-20 - Union Cross, 1-1/4" JIC (1-5/8"-12 thread) x 1-1/4" JIC (1-5/8"-12 thread) x 1-1/4" JIC (1-5/8"-12 thread) x 1-1/4" JIC (1-5/8"-12 thread)	\$53.11		
2650-24-24-24-24	2650-24-24-24-24 - Union Cross, 1-1/2" JIC (1-7/8"-12 thread) x 1-1/2" JIC (1-7/8"-12 thread) x 1-1/2" JIC (1-7/8"-12 thread) x 1-1/2" JIC (1-7/8"-12 thread)	\$105.32		

Check the items you wish to purchase, then click

ADD TO CART

Features

Material: High pressure carbon steel with zinc trivalent anti-corrosion coating SAE 37° JIC meets SAE J514 specifications and are used for petroleum and mineral oil based fluids in hydraulic applications

Product Details


Pressure Ratings:

SAE J514 Pressure Ratings					
Nom. SAE Dash Size	Nom. Tube O.D. Inches	37 Degree Flare Straight Thread	Nom. Pipe Size	SAE St. Threads Union & Bulkhead (PSI)	Fittings With Pipe Threads (PSI)
2	1/8	5/16"-24	1/8"	5000	5000
3	3/16	3/8"-24	1/8"	5000	5000
4	1/4	7/16"-20	1/8"	5000	5000
5	5/16	1/2"-20	1/8"	5000	5000
6	3/8	9/16"-18	1/4"	5000	5000
8	1/2	3/4"-16	3/8"	4500	4000
10	5/8	7/8"-14	1/2"	3500	3000

12	3/4	1 1/16"-12	3/4"	3500	3000
14	7/8	1 3/16"-12	3/4"	3000	2500
16	1	1 5/16"-12	1"	3000	2000
20	1 1/4	1 5/8"-12	1 1/4"	2500	1150
24	1 1/2	1 7/8"-12	1 1/2"	2000	1000
32	2	2 1/2"-12	2"	1500	1000

NOTE: Since many factors influence the pressure at which a system will or will not perform satisfactory, values shown in this table should not be construed as guaranteed minimum.

Dimensional Drawings:



Product ID	Y HEX	T1 / T3	M1 / M3	D1 / D3	T2 / T4	M2 / M4	D2 / D4
SS-2650-02-02-02-02	0.438	5/16-24	0.77	0.063	5/16-24	0.77	0.063
SS-2650-04-04-04-04	0.438	7/16-20	0.89	0.172	7/16-20	0.89	0.172
SS-2650-05-05-05-05	0.563	1/2-20	0.95	0.234	1/2-20	0.95	0.234
SS-2650-06-06-06-06	0.563	9/16-18	1.06	0.297	9/16-18	1.06	0.297
SS-2650-06-08-06-08	0.75	9/16-18	1.14	0.297	3/4-16	1.25	0.391
SS-2650-08-08-08-08	0.75	3/4-16	1.25	0.391	3/4-16	1.25	0.391
SS-2650-10-10-10-10	0.875	7/8-14	1.45	0.484	7/8-14	1.45	0.484
SS-2650-12-12-12-12	1.063	1-1/16-12	1.66	0.609	1-1/16-12	1.66	0.609
SS-2650-14-14-14-14	1.313	1-3/16-12	1.8	0.719	1-3/16-12	1.8	0.719
SS-2650-16-16-16-16	1.313	1-5/16-12	1.81	0.844	1-5/16-12	1.81	0.844

SS-2650-20-20-20-20	1.625	1-5/8-12	2.06	1.078	1-5/8-12	2.06	1.078
SS-2650-24-24-24-24	1.875	1-7/8-12	2.33	1.313	1-7/8-12	2.33	1.313

Competitor Cross Reference:

INTERCHANGEABLE WITH:						
ITEM #	AEROQUIP	PARKER	SSP	SAE	MS	
2650-02-02-02-02	259-2020-2-2	2 KTX-SS	J2X	70501	MS51517	
2650-04-04-04-04	259-2020-4-4	4 KTX-SS	J4X	70501	MS51517	
2650-06-06-06-06	259-2020-6-6	6 KTX-SS	J6X	70501	MS51517	
2650-08-08-08-08	259-2020-8-8	8 KTX-SS	J8X	70501	MS51517	
2650-10-10-10-10	259-2020-10-10	10 KTX-SS	J10X	70501	MS51517	
2650-12-12-12-12	259-2020-12-12	12 KTX-SS	J12X	70501	MS51517	
2650-16-16-16-16	259-2020-16-16	16 KTX-SS	J16X	70501	MS51517	

Share your knowledge of this product. Be the first to write a review »

ABOUT US

Company Info
 Contact Us
 Careers
 Reference Center

MY ACCOUNT

View Cart
 Sign-In
 Order Status

PRODUCTS

Product Index
 Category Index

HELPFUL INFO


Shipping & Returns
 Privacy Policy
 Terms & Conditions
 Warranty

QUESTIONS? CALL OR TEXT US!

Tel: (866) 620-7320
 Email:
 sales@hydraulicsdirect.com

Copyright 52565 Hydraulics Direct

FOLLOW US



TRUSTED SELLER

