



MY ACCOUNT BLOG

0 \$ 00.00

Home > Steel Adapters > 37 Degree JIC >

2602 -37° JIC MALE TO NPTF FEMALE PIPE BRANCH TEE



37° JIC Male to NPTF Female Pipe Branch Tee

2602 JIC equivalent to the following:

- * SAE 070427
- * Aeroquip 2031
- * Parker OTX
- * Parker 223T
- * Weatherhead C5655

Available in stainless steel: SS-2602

(1,2) JIC Male (3) NPTF Female



PRESSURE RATINGS



DIMENSIONAL DRAWINGS



CROSS REFERENCE

37° JIC MALE TO NPTF FEMALE PIPE BRANCH TEE

PRINT PAGE

ITEM#	ITEM NAME	OUR PRICE	QTY	
2602-04-04-02	2602-04-04-02 - Branch Tee, 1/4" JIC (7/16"-20 thread) x 1/4" JIC (7/16"-20 thread) x 1/8" NPTF Female	\$3.85		
2602-04-04-04	2602-04-04-04 - Branch Tee, 1/4" JIC (7/16"-20 thread) x 1/4" JIC (7/16"-20 thread) x 1/4" NPTF Female	\$5.09		
2602-05-05-02	2602-05-05-02 - Branch Tee, 5/16" JIC (1/2"-20) x 5/16" JIC (1/2"-20) x 1/8" NPTF Female	\$6.10		
2602-06-06-02	2602-06-06-02 - Branch Tee, 3/8" JIC (9/16"-18 thread) x 3/8" JIC (9/16"-18 thread) x 1/8" NPTF Female	\$33.44		

2602-06-06-04	2602-06-06-04 - Branch Tee, 3/8" JIC (9/16"-18 thread) x 3/8" JIC (9/16"-18 thread) x 1/4" NPTF Female	\$4.59		
2602-06-06-06	2602-06-06-06 - Branch Tee, 3/8" JIC (9/16"-18 thread) x 3/8" JIC (9/16"-18 thread) x 3/8" NPTF Female	\$6.47		
2602-08-08-04	2602-08-08-04 - Branch Tee, 1/2" JIC (3/4"-16 thread) x 1/2" JIC (3/4"-16 thread) x 1/4" NPTF Female	\$15.55		
2602-08-08-06	2602-08-08-06 - Branch Tee, 1/2" JIC (3/4"-16 thread) x 1/2" JIC (3/4"-16 thread) x 3/8" NPTF Female	\$5.76		
2602-08-08-08	2602-08-08-08 - Branch Tee, 1/2" JIC (3/4"-16 thread) x 1/2" JIC (3/4"-16 thread) x 1/2" NPTF Female	\$9.05		
2602-10-10-08	2602-10-10-08 - Branch Tee, 5/8" JIC (7/8"-14 thread) x 5/8" JIC (7/8"-14 thread) x 1/2" NPTF Female	\$10.04		
2602-10-10-12	2602-10-10-12 - Branch Tee, 5/8" JIC (7/8"-14 thread) x 5/8" JIC (7/8"-14 thread) x 3/4" NPTF Female	\$14.35		
2602-12-12-08	2602-12-12-08 - Branch Tee, 3/4" JIC (1 1/16"-12 thread) x 3/4" JIC (1 1/16"-12 thread) x 1/2" NPTF Female	\$32.90		
2602-12-12-12	2602-12-12-12 - Branch Tee, 3/4" JIC (1 1/16"-12 thread) x 3/4" JIC (1 1/16"-12 thread) x 3/4" NPTF Female	\$13.58		
2602-12-12-16	2602-12-12-16 - Branch Tee, 3/4" JIC (1 1/16"-12 thread) x 3/4" JIC (1 1/16"-12 thread) x 1" NPTF Female	\$25.73		
2602-14-14-12	2602-14-14-12 - Branch Tee, 7/8" JIC (1 3/16"-12 thread) x 7/8" JIC (1 3/16"-12 thread) x 3/4" NPTF Female	\$56.53		
2602-16-16-12	2602-16-16-12 - Branch Tee, 1" JIC (1 5/16"-12 thread) x 1" JIC (1 5/16"-12 thread) x 3/4" NPTF Female	\$24.39		
2602-16-16-16	2602-16-16-16 - Branch Tee, 1" JIC (1 5/16"-12 thread) x 1" JIC (1 5/16"-12 thread) x 1" NPTF Female	\$21.24		
2602-20-20-20	2602-20-20-20 - Branch Tee, 1-1/4" JIC (1-5/8"-12 thread) x 1-1/4" JIC (1-5/8"-12 thread) x 1-1/4" NPTF Female	\$35.32		
2602-24-24-24	2602-24-24-24 - Branch Tee, 1-1/2" JIC (1-7/8"-12 thread) x 1-1/2" JIC (1-7/8"-12 thread) x 1-1/2" NPTF Female	\$61.90		
2602-32-32-32	2602-32-32-32 - Branch Tee, 2" JIC (2 1/2"-12 thread) x 2" JIC (2 1/2"-12 thread) x 2" NPTF Female	\$474.23		

Check the items you wish to purchase, then click

ADD TO CART

Features

Material: High pressure carbon steel with zinc trivalent anti-corrosion coating SAE 37° JIC meets SAE J514 specifications and are used for petroleum and mineral oil based fluids in hydraulic applications


Product Details

Pressure Ratings:

SAE J514 Pressure Ratings					
Nom. SAE Dash Size	Nom. Tube O.D. Inches	37 Degree Flare Straight Thread	Nom. Pipe Size	SAE St. Threads Union & Bulkhead (PSI)	Fittings With Pipe Threads (PSI)
2	1/8	5/16"-24	1/8"	5000	5000
3	3/16	3/8"-24	1/8"	5000	5000
4	1/4	7/16"-20	1/8"	5000	5000
5	5/16	1/2"-20	1/8"	5000	5000
6	3/8	9/16"-18	1/4"	5000	5000
8	1/2	3/4"-16	3/8"	4500	4000
10	5/8	7/8"-14	1/2"	3500	3000
12	3/4	1 1/16"-12	3/4"	3500	3000
14	7/8	1 3/16"-12	3/4"	3000	2500
16	1	1 5/16"-12	1"	3000	2000
20	1 1/4	1 5/8"-12	1 1/4"	2500	1150
24	1 1/2	1 7/8"-12	1 1/2"	2000	1000
32	2	2 1/2"-12	2"	1500	1000

NOTE: Since many factors influence the pressure at which a system will or will not perform satisfactory, values shown in this table should not be construed as guaranteed minimum.

Dimensional Drawings:



Product ID	Y HEX	T1	M1	D1	T2	M2	D2	T3	M3	D3
------------	-------	----	----	----	----	----	----	----	----	----

SS-2602-04-04-02	0.563	7/16-20	1.08	0.172	7/16-20	1.08	0.172	1/8-27	0.66	0.33
SS-2602-04-04-04	0.75	7/16-20	1.22	0.172	7/16-20	1.22	0.172	1/4-18	0.88	0.43
SS-2602-05-05-02	0.563	1/2-20	1.08	0.234	1/2-20	1.08	0.234	1/8-27	0.66	0.33
SS-2602-06-06-04	0.75	9/16-18	1.23	0.297	9/16-18	1.23	0.297	1/4-18	0.88	0.43
SS-2602-06-06-06	0.875	9/16-18	1.31	0.297	9/16-18	1.31	0.297	3/8-18	1.02	0.56
SS-2602-08-08-04	0.875	3/4-16	1.42	0.391	3/4-16	1.42	0.391	1/4-18	1.01	0.43
SS-2602-08-08-06	0.875	3/4-16	1.42	0.391	3/4-16	1.42	0.391	3/8-18	1.02	0.56
SS-2602-08-08-08	1.063	3/4-16	1.52	0.391	3/4-16	1.52	0.391	1/2-14	1.23	0.70
SS-2602-10-10-08	1.063	7/8-14	1.64	0.484	7/8-14	1.64	0.484	1/2-14	1.23	0.70
SS-2602-10-10-12	1.313	7/8-14	1.77	0.484	7/8-14	1.77	0.484	3/4-14	1.36	0.90
SS-2602-12-12-08	1.313	1-1/16-12	1.89	0.609	1-1/16-12	1.89	0.609	1/2-14	1.35	0.70
SS-2602-12-12-12	1.313	1-1/16-12	1.89	0.609	1-1/16-12	1.89	0.609	3/4-14	1.36	0.90
SS-2602-12-12-16	1.625	1-1/16-12	2.12	0.609	1-1/16-12	2.12	0.609	1-11-1/2	1.62	1.14
SS-2602-14-14-12	1.313	1-3/16-12	1.86	0.719	1-3/16-12	1.86	0.719	3/4-14	1.42	0.90
SS-2602-16-16-12	1.625	1-5/16-12	2.17	0.844	1-5/16-12	2.17	0.844	3/4-14	1.39	0.90
SS-2602-16-16-16	1.625	1-5/16-12	2.17	0.844	1-5/16-12	2.17	0.844	1-11-1/2	1.62	1.14
SS-2602-20-20-20	1.875	1-5/8-12	2.33	1.078	1-5/8-12	2.33	1.078	1-? -11-1/2	1.7	1.48
SS-2602-24-24-24	2.562	1-7/8-12	2.89	1.313	1-7/8-12	2.89	1.313	1-? -11-1/2	2.08	1.74
SS-2602-32-32-32	2.812	2-1/2-12	3.3	1.781	2-1/2-12	3.3	1.781	2-11-1/2	2.39	2.21

Competitor Cross Reference:

INTERCHANGEABLE WITH:					
ITEM #	AEROQUIP	PARKER	SSP	SAE	MS
2602-02-02-02	259-2031-2-2	2 OTX-SS	J2TTF	70427	MS51513
2602-04-04-02	259-2031-2-4	4 OTX-SS	J4TTF	70427	MS51513
2602-04-04-04	259-2031-4-4	4-4-4 OTX-SS	J4-4-4TTF	70427	MS51513
2602-06-06-04	259-2031-4-6	6 OTX-SS	J6TTF	70427	MS51513
2602-06-06-06	259-2031-6-6	6-6-6 OTX-SS	J6-6-6TTF	70427	MS51513
2602-08-08-06	259-2031-6-8	8 OTX-SS	J8TTF	70427	MS51513
2602-08-08-08	259-2031-8-8	8-8-8 OTX-SS	J8-8-8TTF	70427	MS51513
2602-10-10-08	259-2031-8-10	10 OTX-SS	J10TTF	70427	MS51513
2602-12-12-12	259-2031-12-12	12 OTX-SS	J12TTF	70427	MS51513
2602-16-16-16	259-2031-16-16	16 OTX-SS	J16TTF	70427	MS51513

2602-20-20-20	259-2031-20-20	20 OTX-SS	J20TTF	70427	MS51513
2602-24-24-24	259-2031-24-24	24 OTX-SS	J24TTF	70427	MS51513
2602-32-32-32	259-2031-32-32	32 OTX-SS	J32TTF	70427	MS51513

Share your knowledge of this product. Be the first to write a review »

ABOUT US Company Info Contact Us Careers Reference Center	MY ACCOUNT View Cart Sign-In Order Status	PRODUCTS Product Index Category Index	HELPFUL INFO Shipping & Returns Privacy Policy Terms & Conditions Warranty	QUESTIONS? CALL OR TEXT US! Tel: (866) 620-7320 Email: sales@hydraulicsdirect.com
--	---	--	---	---

Copyright 52565 Hydraulics Direct

FOLLOW US  	TRUSTED SELLER   
--	--