



MY ACCOUNT BLOG

0 \$ 00.00

Home > Steel Adapters > 37 Degree JIC >

2606 -37° JIC MALE TO NPTF FEMALE RUN TEE



(1,3) JIC Male (2) NPTF Female



37° JIC Male to NPTF Female Run Tee

2606 JIC equivalent to the following:

- * SAE 070426
- * Parker MTX
- * Parker 023T
- * Weatherhead C5805
- * Aeroquip 2029

Available in stainless steel: SS-2606



PRESSURE RATINGS



DIMENSIONAL DRAWINGS



CROSS REFERENCE

37° JIC MALE TO NPTF FEMALE RUN TEE

PRINT PAGE

ITEM#	ITEM NAME	OUR PRICE	QTY	
2606-04-02-04	2606-04-02-04 - Run Tee, 1/4" JIC (7/16"-20 thread) x 1/8" NPTF Female x 1/4" JIC (7/16"-20 thread)	\$7.97		
2606-04-04-04	2606-04-04-04 - Run Tee, 1/4" JIC (7/16"-20 thread) (7/16-20 thread) x 1/4" NPTF Female x 1/4" JIC (7/16"-20 thread)	\$5.48		
2606-06-04-06	2606-06-04-06 - Run Tee, 3/8" JIC (9/16"-18 thread) x 1/4" NPTF Female x 3/8" JIC (9/16"-18 thread)	\$5.21		
2606-06-06-06	2606-06-06-06 - Run Tee, 3/8" JIC (9/16"-18 thread) x 3/8" NPTF Female x 3/8" JIC (9/16"-18 thread)	\$5.61		
2606-08-06-08	2606-08-06-08 - Run Tee, 1/2" JIC (3/4"-16 thread) x 3/8" NPTF Female x	\$7.71		

	1/2" JIC (3/4"-16 thread)		
2606-08-08-08	2606-08-08-08 - Run Tee, 1/2" JIC (3/4"-16 thread) x 1/2" NPTF Female x 1/2" JIC (3/4"-16 thread)	\$12.21	
2606-10-08-10	2606-10-08-10 - Run Tee, 5/8" JIC (7/8"-14 thread) x 1/2" NPTF Female x 5/8" JIC (7/8"-14 thread)	\$12.44	
2606-12-12-12	2606-12-12-12 - Run Tee, 3/4" JIC (1 1/16"-12 thread) x 3/4" NPTF Female x 3/4" JIC (1 1/16"-12 thread)	\$15.98	
2606-14-12-14	2606-14-12-14 - Run Tee, 7/8" JIC (1 3/16"-12 thread) x 3/4" NPTF Female x 7/8" JIC (1 3/16"-12 thread)	\$28.90	
2606-16-16-16	2606-16-16-16 - Run Tee, 1" JIC (1 5/16"-12 thread) x 1" NPTF Female x 1" JIC (1 5/16"-12 thread)	\$23.81	
2606-20-20-20	2606-20-20-20 - Run Tee, 1-1/4" JIC (1-5/8"-12 thread) x 1-1/4" NPTF Female x 1-1/4" JIC (1-5/8"-12 thread)	\$61.66	
2606-24-24-24	2606-24-24-24 - Run Tee, 1-1/2" JIC (1-7/8"-12 thread) x 1-1/2" NPTF Female x 1-1/2" JIC (1-7/8"-12 thread)	\$75.88	
2606-32-32-32	2606-32-32-32 - Run Tee, 2" JIC (2 1/2"-12 thread) x 2" NPTF Female x 2" JIC (2 1/2"-12 thread)	\$192.90	

Check the items you wish to purchase, then click

ADD TO CART

Features

Material: High pressure carbon steel with zinc trivalent anti-corrosion coating SAE 37° JIC meets SAE J514 specifications and are used for petroleum and mineral oil based fluids in hydraulic applications

Product Details


Pressure Ratings:

SAE J514 Pressure Ratings					
Nom. SAE Dash Size	Nom. Tube O.D. Inches	37 Degree Flare Straight Thread	Nom. Pipe Size	SAE St. Threads Union & Bulkhead (PSI)	Fittings With Pipe Threads (PSI)
2	1/8	5/16"-24	1/8"	5000	5000
3	3/16	3/8"-24	1/8"	5000	5000
4	1/4	7/16"-20	1/8"	5000	5000
5	5/16	1/2"-20	1/8"	5000	5000

6	3/8	9/16"-18	1/4"	5000	5000
8	1/2	3/4"-16	3/8"	4500	4000
10	5/8	7/8"-14	1/2"	3500	3000
12	3/4	1 1/16"-12	3/4"	3500	3000
14	7/8	1 3/16"-12	3/4"	3000	2500
16	1	1 5/16"-12	1"	3000	2000
20	1 1/4	1 5/8"-12	1 1/4"	2500	1150
24	1 1/2	1 7/8"-12	1 1/2"	2000	1000
32	2	2 1/2"-12	2"	1500	1000

NOTE: Since many factors influence the pressure at which a system will or will not perform satisfactory, values shown in this table should not be construed as guaranteed minimum.

Dimensional Drawings:



Product ID	Y HEX	T1	M1	D1	T2	M2	D2	T3	M3	D3
SS-2606-03-02-03	0.563	3/8-24	1.03	0.125	1/8-27	0.66	0.332	3/8-24	1.03	0.12
SS-2606-04-02-04	0.563	7/16-20	1.08	0.172	1/8-27	0.66	0.332	7/16-20	1.08	0.17
SS-2606-04-04-04	0.75	7/16-20	1.22	0.172	1/4-18	0.88	0.438	7/16-20	1.22	0.17
SS-2606-06-04-06	0.75	9/16-18	1.23	0.297	1/4-18	0.88	0.438	9/16-18	1.23	0.29
SS-2606-06-06-06	0.875	9/16-18	1.31	0.297	3/8-18	1.02	0.563	9/16-18	1.31	0.29
SS-2606-08-06-08	0.875	3/4-16	1.42	0.391	3/8-18	1.02	0.563	3/4-16	1.42	0.39
SS-2606-10-08-10	1.063	7/8-14	1.64	0.484	1/2-14	1.23	0.703	7/8-14	1.64	0.48
SS-2606-12-12-12	1.313	1-1/16-12	1.89	0.609	3/4-14	1.36	0.906	1-1/16-12	1.89	0.60
SS-2606-14-12-14	1.313	1-3/16-12	1.86	0.719	3/4-14	1.42	0.906	1-3/16-12	1.86	0.71

SS-2606-16-16-16	1.625	1-5/16-12	2.17	0.844	1-11-1/2	1.62	1.141	1-5/16-12	2.17	0.84
SS-2606-20-20-20	1.875	1-5/8-12	2.33	1.078	1-7-11-1/2	1.7	1.484	1-5/8-12	2.33	1.07

Competitor Cross Reference:

INTERCHANGEABLE WITH:					
ITEM #	AEROQUIP	PARKER	SSP	SAE	MS
2606-02-02-02	259-2029-2-2	2 MTX-SS	J2TFT	70426	MS51514
2606-04-02-04	259-2029-2-4	4 MTX-SS	J4TFT	70426	MS51514
2606-04-04-04	259-2029-4-4	4-4-4 MTX-SS	J4-4-4TFT	70426	MS51514
2606-06-04-06	259-2029-4-6	6 MTX-SS	J6TFT	70426	MS51514
2606-06-06-06	259-2029-6-6	6-6-6 MTX-SS	J6-6-6TFT	70426	MS51514
2606-08-06-08	259-2029-6-8	8 MTX-SS	J8TFT	70426	MS51514
2606-08-08-08	259-2029-8-8	8-8-8 MTX-SS	J8-8-8TFT	70426	MS51514
2606-10-08-10	259-2029-8-10	10 MTX-SS	J10TFT	70426	MS51514
2606-12-12-12	259-2029-12-12	12 MTX-SS	J12TFT	70426	MS51514
2606-16-16-16	259-2029-16-16	16 MTX-SS	J16TFT	70426	MS51514
2606-20-20-20	259-2029-20-20	20 MTX-SS	J20TFT	70426	MS51514
2606-24-24-24	259-2029-24-24	24 MTX-SS	J24TFT	70426	MS51514

Share your knowledge of this product. Be the first to write a review »

ABOUT US

Company Info
Contact Us
Careers
Reference Center

MY ACCOUNT

View Cart
Sign-In
Order Status

PRODUCTS

Product Index
Category Index

HELPFUL INFO


Shipping & Returns
Privacy Policy
Terms & Conditions
Warranty

QUESTIONS? CALL OR TEXT US!

Tel: (866) 620-7320
Email:
sales@hydraulicsdirect.com

Copyright 52565 Hydraulics Direct

FOLLOW US



TRUSTED SELLER

