

[MY ACCOUNT](#) [BLOG](#)[0 \\$ 00.00](#)[Home](#) > [Steel Adapters](#) > [NPT Pipe Fittings](#) >

5605 -NPTF PIPE BRANCH TEE



(1,2,3) NPTF Female



Alternative Views:



NPTF Pipe Branch Tee

5605 NPTF Pipe is equivalent to the following:

- * Parker Hydraulics MMO
- * Parker 022T
- * Weatherhead C3709
- * Aeroquip 2090

Available in stainless steel: 5000-SS

PRESSURE
RATINGSDIMENSIONAL
DRAWINGSCROSS
REFERENCE

NPTF PIPE BRANCH TEE

[PRINT PAGE](#)

| ITEM# | ITEM NAME | OUR PRICE | QTY | |
|---------------|--|---------------|-----|--|
| 5605-02-02-02 | 5605-02-02-02 - Female Pipe Tee, 1/8" NPTF x 1/8" NPTF x 1/8" NPTF | \$3.01 | | |
| 5605-04-04-04 | 5605-04-04-04 - Female Pipe Tee, 1/4" NPTF x 1/4" NPTF x 1/4" NPTF | \$3.40 | | |
| 5605-06-06-06 | 5605-06-06-06 - Female Pipe Tee, 3/8" NPTF x 3/8" NPTF x 3/8" NPTF | \$3.44 | | |
| 5605-08-08-08 | 5605-08-08-08 - Female Pipe Tee, 1/2" NPTF x 1/2" NPTF x 1/2" NPTF | \$5.63 | | |
| 5605-12-12-12 | 5605-12-12-12 - Female Pipe Tee, 3/4" NPTF x 3/4" NPTF x 3/4" NPTF | \$7.91 | | |

| | | | | |
|---------------|--|-----------------|--|--|
| 5605-16-16-16 | 5605-16-16-16 - Female Pipe Tee, 1" NPTF x 1" NPTF x 1" NPTF | \$12.99 | | |
| 5605-20-20-20 | 5605-20-20-20 - Female Pipe Tee, 1-1/4" NPTF x 1-1/4" NPTF x 1-1/4" NPTF | \$30.59 | | |
| 5605-24-24-24 | 5605-24-24-24 - Female Pipe Tee, 1-1/2" NPTF x 1-1/2" NPTF x 1-1/2" NPTF | \$59.22 | | |
| 5605-32-32-32 | 5605-32-32-32 - Female Pipe Tee, 2" NPTF x 2" NPTF x 2" NPTF | \$242.40 | | |

Check the items you wish to purchase, then click

ADD TO CART

Features

Material: High pressure carbon steel with zinc trivalent anti-corrosion coating. SAE National Pipe Thread Fuel (NPTF/NPT) meets SAE J476 specifications and is used for petroleum and mineral oil based fluids in hydraulic applications.


Product Details

Pressure:

NPT PRESSURE RATINGS, ANSI/ASME B 31.3

| SIZE | NPT | MALE | | FEMALE | |
|------|-------|-------|-----|--------|-----|
| | | PSIG | BAR | PSIG | BAR |
| 1 | 1/16 | 11000 | 757 | 6700 | 461 |
| 2 | 1/8 | 10000 | 689 | 6500 | 447 |
| 4 | 1/4 | 8000 | 551 | 6600 | 454 |
| 6 | 3/8 | 7800 | 537 | 5300 | 365 |
| 8 | 1/2 | 7700 | 530 | 4900 | 337 |
| 12 | 3/4 | 7300 | 502 | 4600 | 316 |
| 16 | 1 | 5300 | 365 | 4400 | 303 |
| 20 | 1 1/4 | 6000 | 413 | 5000 | 344 |
| 24 | 1 1/2 | 5000 | 344 | 4600 | 316 |
| 32 | 2 | 3900 | 268 | 3900 | 268 |

Dimensional Drawings:



| Product ID | Y HEX | T1 | M1 | D1 | T2 | M2 | D2 | T3 | M3 | D3 |
|------------------|-------|--------------|------|-------|--------------|------|-------|--------------|------|------|
| SS-5605-02-02-02 | 0.563 | 1/8-27 | 0.66 | 0.332 | 1/8-27 | 0.66 | 0.332 | 1/8-27 | 0.66 | 0.33 |
| SS-5605-04-04-04 | 0.75 | 1/4-18 | 0.88 | 0.438 | 1/4-18 | 0.88 | 0.438 | 1/4-18 | 0.88 | 0.43 |
| SS-5605-06-04-06 | 0.875 | 3/8-18 | 1.02 | 0.563 | 1/4-18 | 1.01 | 0.438 | 3/8-18 | 1.02 | 0.56 |
| SS-5605-06-06-06 | 0.875 | 3/8-18 | 1.02 | 0.563 | 3/8-18 | 1.02 | 0.563 | 3/8-18 | 1.02 | 0.56 |
| SS-5605-08-08-08 | 1.063 | 1/2-14 | 1.23 | 0.703 | 1/2-14 | 1.23 | 0.703 | 1/2-14 | 1.23 | 0.70 |
| SS-5605-12-12-12 | 1.313 | 3/4-14 | 1.36 | 0.906 | 3/4-14 | 1.36 | 0.906 | 3/4-14 | 1.36 | 0.90 |
| SS-5605-16-16-16 | 1.625 | 1-11-1/2 | 1.62 | 1.141 | 1-11-1/2 | 1.62 | 1.141 | 1-11-1/2 | 1.62 | 1.14 |
| SS-5605-20-20-20 | 1.875 | 1-1/4-11-1/2 | 1.7 | 1.484 | 1-1/4-11-1/2 | 1.7 | 1.484 | 1-1/4-11-1/2 | 1.7 | 1.48 |
| SS-5605-24-24-24 | 2.562 | 1-1/2-11-1/2 | 2.08 | 1.744 | 1-1/2-11-1/2 | 2.08 | 1.744 | 1-1/2-11-1/2 | 2.08 | 1.74 |
| SS-5605-32-32-32 | 2.812 | 2-11-1/2 | 2.39 | 2.213 | 2-11-1/2 | 2.39 | 2.213 | 2-11-1/2 | 2.39 | 2.21 |

Competitor Cross Reference:

| INTERCHANGEABLE WITH COMPETITOR PART NUMBERS | | | | |
|--|----------------|------------|--------|--------|
| ITEM # | AEROQUIP | PARKER | SSP | SAE |
| 5605-02-02-02 | 259-2090-2-2 | 1/8 MMO-SS | 1/8FFF | 140438 |
| 5605-04-04-04 | 259-2090-4-4 | 1/4 MMO-SS | 1/4FFF | 140438 |
| 5605-06-06-06 | 259-2090-6-6 | 3/8 MMO-SS | 3/8FFF | 140438 |
| 5605-08-08-08 | 259-2090-8-8 | 1/2 MMO-SS | 1/2FFF | 140438 |
| 5605-12-12-12 | 259-2090-12-12 | 3/4 MMO-SS | 3/4FFF | 140438 |

| | | | | |
|---------------|----------------|--------------|----------|--------|
| 5605-16-16-16 | 259-2090-16-16 | 1 MMO-SS | 1FFF | 140438 |
| 5605-20-20-20 | 259-2090-20-20 | 1 1/4 MMO-SS | 1-1/4FFF | 140438 |
| 5605-24-24-24 | 259-2090-24-24 | 1 1/2 MMO-SS | 1-1/2FFF | 140438 |
| 5605-32-32-32 | 259-2090-32-32 | 2 MMO-SS | 2FFF | 140438 |

Share your knowledge of this product. Be the first to write a review »

| | | | | |
|-----------------------------------|-------------------|-----------------|---------------------|--------------------------------------|
| ABOUT US | MY ACCOUNT | PRODUCTS | HELPFUL INFO | QUESTIONS? CALL OR TEXT US! |
| Company Info | View Cart | Product Index | Shipping & Returns | Tel: (866) 620-7320 |
| Contact Us | Sign-In | Category Index | Privacy Policy | Email: sales@hydraulicsdirect.com |
| Careers | Order Status | | Terms & Conditions | |
| Reference Center | | | Warranty | |
| Copyright 52540 Hydraulics Direct | | | | |

| | |
|---|---|
| FOLLOW US | TRUSTED SELLER |
|   |    |